

National Information Assurance Partnership
Common Criteria Evaluation and Validation Scheme



Validation Report

Samsung Electronics Co., Ltd.

Samsung Knox File Encryption 1.3

Report Number: CCEVS-VR-11161-2021
Dated: June 1, 2021
Version: 0.6

National Institute of Standards and Technology
Information Technology Laboratory
100 Bureau Drive
Gaithersburg, MD 20899

Department of Defense
ATTN: NIAP, SUITE: 6982
9800 Savage Road
Fort George G. Meade, MD 20755-6982

ACKNOWLEDGEMENTS

Validation Team

Meredith Hennan

Kenneth Elliott

The Aerospace Corporation

Common Criteria Testing Laboratory

James Arnold

Tammy Compton

Kevin Cummins

Gossamer Security Solutions, Inc.
Columbia, MD

Table of Contents

1	Executive Summary	1
2	Identification	1
3	Architectural Information.....	2
	3.1 TOE Evaluated Platforms.....	3
	3.2 TOE Architecture	4
	3.3 Physical Boundaries	5
4	Security Policy	5
	4.1 Cryptographic support.....	5
	4.2 User data protection	5
	4.3 Identification and authentication.....	5
	4.4 Security management	5
	4.5 Privacy.....	5
	4.6 Protection of the TSF	6
	4.7 Trusted path/channels.....	6
5	Assumptions	6
6	Clarification of Scope.....	6
7	Documentation	7
8	IT Product Testing.....	7
	8.1 Developer Testing	7
	8.2 Evaluation Team Independent Testing.....	7
9	Evaluated Configuration	7
10	Results of the Evaluation.....	9
	10.1 Evaluation of the Security Target (ASE)	9
	10.2 Evaluation of the Development (ADV)	9
	10.3 Evaluation of the Guidance Documents (AGD)	9
	10.4 Evaluation of the Life Cycle Support Activities (ALC)	10
	10.5 Evaluation of the Test Documentation and the Test Activity (ATE).....	10
	10.6 Vulnerability Assessment Activity (VAN)	10
	10.7 Summary of Evaluation Results.....	10
11	Validator Comments/Recommendations.....	11
12	Annexes	11
13	Security Target	11
14	Glossary.....	11
15	Bibliography.....	12

1 Executive Summary

This report documents the assessment of the National Information Assurance Partnership (NIAP) Validation Team of the evaluation of Samsung Knox File Encryption 1.3 solution provided by Samsung Electronics Co., Ltd. It presents the evaluation results, their justifications, and the conformance results. This Validation Report is not an endorsement of the Target of Evaluation by any agency of the U.S. government, and no warranty is either expressed or implied.

The evaluation was performed by the Gossamer Security Solutions (Gossamer) Common Criteria Testing Laboratory (CCTL) in Columbia, MD, United States of America, and was completed in June 2021. The information in this report is largely derived from the Evaluation Technical Report (ETR) and associated test reports, all written by Gossamer Security Solutions. The evaluation determined that the product is both Common Criteria Part 2 Extended and Part 3 Conformant, and conformant to the PP-Configuration for Application Software and File Encryption, Version 1.0, 25 July 2019. The PP-Configuration contains the following components: Protection Profile for Application Software, Version 1.3, 01 March 2019 (ASPP13); and PP-Module for File Encryption, Version 1.0, 25 July 2019 (FEM10).

The Target of Evaluation (TOE) is Samsung Knox File Encryption 1.3.

The TOE identified in this Validation Report has been evaluated at a NIAP approved Common Criteria Testing Laboratory using the Common Methodology for IT Security Evaluation (Version 3.1, Rev 5) for conformance to the Common Criteria for IT Security Evaluation (Version 3.1, Rev 5), as well as using the Assurance Activities contained in ASPP13 and FEM10. This Validation Report applies only to the specific version of the TOE as evaluated. The evaluation has been conducted in accordance with the provisions of the NIAP Common Criteria Evaluation and Validation Scheme and the conclusions of the testing laboratory in the evaluation technical report are consistent with the evidence provided.

The Validation Team monitored the activities of the Evaluation Team, provided guidance on technical issues and evaluation processes, and reviewed the individual work units and successive versions of the ETR, the Assurance Activities Report (AAR), and the Detailed Test Report (DTR). The Validation Team found that the evaluation showed that the product satisfies all of the functional requirements and assurance requirements stated in the Security Target (ST). Therefore, the Validation Team concludes that the testing laboratory's findings are accurate, the conclusions justified, and the conformance results are correct. The conclusions of the testing laboratory in the evaluation technical report are consistent with the evidence produced.

The technical information included in this report was obtained from the Samsung Electronics Co., Ltd. Samsung Knox File Encryption 1.3 (PP_APP_V1.3/MOD_FE_V1.0) Security Target, Version 1.0, 04/19/2021 and analysis performed by the Validation Team.

2 Identification

The CCEVS is a joint National Security Agency (NSA) and National Institute of Standards and Technology (NIST) effort to establish commercial facilities to perform trusted product evaluations. Under this program, security evaluations are conducted by commercial testing laboratories called Common Criteria Testing Laboratories (CCTLs) using the Common Evaluation Methodology (CEM) in accordance with National Voluntary Laboratory Assessment Program (NVLAP) accreditation.

The NIAP Validation Body assigns Validators to monitor the CCTLs to ensure quality and consistency across evaluations. Developers of information technology products desiring a security evaluation contract with a CCTL and pay a fee for their product’s evaluation. Upon successful completion of the evaluation, the product is added to NIAP’s Validated Products List.

Table 1 provides information needed to completely identify the product, including:

- The Target of Evaluation (TOE): the fully qualified identifier of the product as evaluated.
- The Security Target (ST), describing the security features, claims, and assurances of the product.
- The conformance result of the evaluation.
- The PP-Configuration to which the product is conformant.
- The organizations and individuals participating in the evaluation.

Table 1: Evaluation Identifiers

Item	Identifier
Evaluation Scheme	United States NIAP Common Criteria Evaluation and Validation Scheme
TOE	Samsung Knox File Encryption 1.3 (Specific models identified in Section 3.1)
PP-Configuration	PP-Configuration for Application Software and File Encryption, Version 1.0, 25 July 2019 The PP-Configuration includes the following components: <ul style="list-style-type: none"> ○ Base-PP: Protection Profile for Application Software, Version 1.3 (PP_APP_V1.3) ○ PP-Module: PP-Module for File Encryption, Version 1.0 (MOD_FE_V1.0)
ST	Samsung Electronics Co., Ltd. Samsung Knox File Encryption 1.3 (PP_APP_V1.3/MOD_FE_V1.0) Security Target, Version 1.0, 04/19/2021
Evaluation Technical Report	Evaluation Technical Report for Samsung Knox File Encryption 1.3, Version 0.4, May 13, 2021
CC Version	Common Criteria for Information Technology Security Evaluation, Version 3.1, rev 5
Conformance Result	CC Part 2 extended, CC Part 3 conformant
Sponsor	Samsung Electronics Co., Ltd.
Developer	Samsung Electronics Co., Ltd.
Common Criteria Testing Lab (CCTL)	Gossamer Security Solutions, Inc.
CCEVS Validators	The Aerospace Corp.

3 Architectural Information

Note: The following architectural description is based on the description presented in the Security Target.

The TOE is Samsung Knox File Encryption 1.3. The TOE is a service built into the Knox work profile that can provide an additional layer of file encryption when a work profile is created with File Encryption enabled. This is available on devices that launch with Android 11 and Knox 3.7.

The Knox File Encryption service runs in the background and utilizes Samsung Android cryptographic modules to provide file encryption services for the Knox work profile. The service is designed to run without any user intervention as all files in the Knox work profile will be encrypted automatically.

3.1 TOE Evaluated Platforms

The evaluated configuration consists of the Samsung Knox File Encryption 1.3 (the version is listed as “DualDAR”) on the following devices:

Device Name	Model Number	Chipset Vendor	CPU	Android Version	TEE OS	Knox Version	DualDAR Version
Galaxy S21 Ultra 5G	SM-G998B	Samsung	Exynos 2100	11	TEEGRIS 4.2	3.7	1.3.0
Galaxy S21 Ultra 5G	SM-G998U	Qualcomm	Snapdragon 888	11	QSEE 5.11	3.7	1.3.0
Galaxy S20+	SM-G986B	Samsung	Exynos 990	11	TEEGRIS 4.1	3.7	1.3.0
Galaxy S20+	SM-G986U	Qualcomm	Snapdragon 865	11	QSEE 5.8	3.7	1.3.0
Galaxy S10e	SM-G970F	Samsung	Exynos 9820	11	TEEGRIS 3.1	3.7	1.3.0
Galaxy S10+	SM-G975U	Qualcomm	Snapdragon 855	11	QSEE 5.2	3.7	1.3.0
Galaxy Tab Active3	SM-T575	Samsung	Exynos 9810	11	TEEGRIS 4.0	3.7	1.3.0

Table 1 - Evaluated Devices

In addition to the evaluated devices, the following device models are claimed as equivalent with a note about the differences between the evaluated device and the equivalent models.

Evaluated Device	CPU	Equivalent Devices	Differences
Galaxy S21 Ultra (Samsung)	Exynos 2100	Galaxy S21+ (Samsung) Galaxy S21 (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S21 Ultra (Qualcomm)	Snapdragon 888	Galaxy S21+ (Qualcomm) Galaxy S21 (Qualcomm)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S20+ (Samsung)	Exynos 990	Galaxy S20 Ultra (Samsung) Galaxy S20 (Samsung) Galaxy Note20 Ultra 5G/LTE (Samsung) Galaxy Note20 5G/LTE (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S20+ (Qualcomm)	Snapdragon 865	Galaxy S20 Ultra (Qualcomm) Galaxy S20 (Qualcomm) Galaxy S20 TE (Qualcomm) Galaxy Note20 Ultra 5G (Qualcomm) Galaxy Note20 5G (Qualcomm) Galaxy Tab S7+ Galaxy Tab S7	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S10e (Samsung)	Exynos 9820	Galaxy S10+ (Samsung) Galaxy S10 5G (Samsung) Galaxy S10 (Samsung) Galaxy Note10+ 5G (Samsung) Galaxy Note10+ (Samsung) Galaxy Note10 5G (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE) Note10 (Samsung) devices have Exynos 9825 CPU

Evaluated Device	CPU	Equivalent Devices	Differences
Galaxy S10+ (Qualcomm)	Snapdragon 855	Galaxy S10 5G (Qualcomm) Galaxy S10 (Qualcomm) Galaxy S10e (Qualcomm) Galaxy Note10+ 5G (Qualcomm) Galaxy Note10+ (Qualcomm) Galaxy Note10 (Qualcomm)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy Tab Active3	Exynos 9810	Galaxy Tab Active3	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)

Table 2 - Equivalent Devices

3.2 TOE Architecture

The TOE is software built into Samsung Knox. The TOE is designed as a framework for providing file encryption to all files within a Knox work profile where it is enabled. The software is comprised of four major components: the DualDAR Service, the DualDAR Client, the DualDAR Driver and cryptographic modules. Management of the TOE is provided through normal device administration functions; the TOE does not provide any configuration or management capabilities itself but relies on the platform to provide both UI (such as for password entry or management) and MDM control. Administration is limited to enabling the File Encryption feature when a Knox work profile is created.

The components provide the following functions within the TOE:

- DualDAR Service: manages the implementation of the configuration and monitoring system status for the lock state
- DualDAR Client: handles access to the Master Key (unlock and wipe)
- DualDAR Driver: handles the encryption/decryption I/O of files with the Master Key unlocked by the DualDAR Client
- Cryptographic Modules: handle the cryptographic operations of the TOE (Samsung Kernel Cryptographic Module and Samsung SCrypto)

The TOE utilizes the Knox work profile authentication (using a password) to unlock the 256-bit Master Key. Once the Master Key is unlocked the DualDAR Driver can read an encrypted file to unlock the individual 256-bit FEK. The unlocked FEK is then used to decrypt the contents. When the Knox work profile is locked, all open files will be closed and all unlocked FEKs and the Master Key will be cleared from memory (this is handled by the DualDAR Service).

By default (and in this configuration), the DualDAR Driver utilizes the Samsung Kernel Cryptographic Module of the device for AES-CBC-256 to decrypt/encrypt the contents of the file. The FEK is encrypted with AES-GCM using the 256-bit Master Key. All keys are generated using platform-provided DRBG functions and are 256-bit.

The TOE does not provide or utilize any communications services, nor does the TOE transmit or receive data or keys from remote systems.

Samsung provides an SDK which can be used to integrate a third-party encryption library to be used by the DualDAR Service and Driver but this configuration is not included as part of this evaluation.

3.3 Physical Boundaries

The TOE is a software application running on a mobile device. The mobile device platform provides a host Operating System and a Trusted Execution Environment.

4 Security Policy

This section summarizes the security functionality of the TOE:

1. Cryptographic support
2. User data protection
3. Identification and authentication
4. Security management
5. Privacy
6. Protection of the TSF
7. Trusted path/channels

4.1 Cryptographic support

The TOE runs as part of Samsung Android 11 with Knox 3.7 and includes several cryptographic libraries for encryption/decryption/cryptographic hashing functions for securing file contents and TOE keys.

4.2 User data protection

The TOE protects all user data within the Knox work profile by providing an automatic encryption service for all files stored within the container; applications do not have to be made aware of the Knox File Encryption service to be protected. All keys are AES 256-bit, using AES-GCM for FEK protection and AES-CBC for file content protection.

4.3 Identification and authentication

The TOE utilizes the authentication services provided by the Knox work profile to unlock the Master Key. Unsuccessful authentication to the Knox work profile will prevent the Master Key from being unlocked, and hence no files in the container can be accessed.

4.4 Security management

The services provided by the TOE are not available until a Knox work profile with File Encryption enabled is created on the device. Authentication management and the container lock settings are handled by the Knox work profile management and are generic for all Knox work profile configurations.

4.5 Privacy

The TOE does not transmit Personally Identifiable Information over any network interfaces nor does it request access to any applications that may contain such information.

4.6 Protection of the TSF

The TOE relies on the physical boundary of the evaluated platform as well as the Samsung Android operating system for the protection of the TOE's components.

The TOE relies on the Samsung Android operating system to provide updates as the software is incorporated as part of the device image. The version of the Knox File Encryption software can be seen in the About Device page with the Knox version information (as the DualDAR version).

The TOE is a Samsung component, and all code is maintained solely by Samsung. Only documented APIs available in Samsung Android (which includes the Knox work profile and Samsung cryptographic libraries) are used.

4.7 Trusted path/channels

The TOE does not transmit information over any network interfaces.

5 Assumptions

The Security Problem Definition, including the assumptions, may be found in the following documents:

- Protection Profile for Application Software, Version 1.3, 01 March 2019 (PP_APP_V1.3)
- PP-Module for File Encryption, Version 1.0, 25 July 2019 (MOD_FE_V1.0)

That information has not been reproduced here and the PP_APP_V1.3/MOD_FE_V1.0 should be consulted if there is interest in that material.

The scope of this evaluation was limited to the functionality and assurances covered in the PP_APP_V1.3/MOD_FE_V1.0 as described for this TOE in the Security Target. Other functionality included in the product was not assessed as part of this evaluation. All other functionality provided by the devices needs to be assessed separately, and no further conclusions can be drawn about their effectiveness.

6 Clarification of Scope

All evaluations (and all products) have limitations, as well as potential misconceptions that need clarification. This text covers some of the more important limitations and clarifications of this evaluation. Note that:

- As with any evaluation, this evaluation only shows that the evaluated configuration meets the security claims made with a certain level of assurance (the assurance activities specified in the PP_APP_V1.3/MOD_FE_V1.0 and performed by the Evaluation Team).
- This evaluation covers only the specific device models and software as identified in this document, and not any earlier or later versions released or in process.
- The functionality evaluated is scoped exclusively to the security functional requirements specified in the Security Target in accordance with the PP_APP_V1.3, MOD_FE_V1.0 and applicable Technical Decisions. All other functionality provided by these devices is not

covered by this evaluation and needs to be assessed separately as no further conclusions can be drawn about their effectiveness.

7 Documentation

The following document was available with the TOE for evaluation:

- Samsung File Encryption 1.3 Administrator Guide, Version 1.3, 04/19/2021

Any additional customer documentation provided with the product, or that is available online was not included in the scope of the evaluation and therefore should not to be relied upon when configuring or operating the device as evaluated.

To use the product in the evaluated configuration, the product must be configured as specified in the Guidance Documentation listed above. Consumers are encouraged to download the configuration guides from the NIAP website to ensure the device is configured as evaluated.

8 IT Product Testing

This section describes the testing efforts of the developer and the Evaluation Team. It is derived from information contained in the proprietary Detailed Test Report for Samsung Knox File Encryption, Version 0.2, March 22, 2021 (DTR) and Detailed Test Report for Samsung Knox File Encryption 1.3– T575, Version 1.0, May 13, 2021 (DTR Supplement), as summarized in the evaluation Assurance Activity Report.

8.1 Developer Testing

No evidence of developer testing is required in the assurance activities for this product.

8.2 Evaluation Team Independent Testing

The Evaluation Team verified the product according a Common Criteria Certification document and ran the tests specified in the PP_APP_V1.3/MOD_FE_V1.0 including the tests associated with optional requirements. The AAR, in sections 1.1 and 3.4.1, lists the tested devices, provides a list of test tools, and has diagrams of the test environment.

9 Evaluated Configuration

The evaluated configuration consists of the Samsung Knox File Encryption 1.3 (the version is listed as “DualDAR”) on the following devices:

Device Name	Model Number	Chipset Vendor	CPU	Android Version	TEE OS	Knox Version	DualDAR Version
Galaxy S21 Ultra 5G	SM-G998B	Samsung	Exynos 2100	11	TEEGRIS 4.2	3.7	1.3.0
Galaxy S21 Ultra 5G	SM-G998U	Qualcomm	Snapdragon 888	11	QSEE 5.11	3.7	1.3.0
Galaxy S20+	SM-G986B	Samsung	Exynos 990	11	TEEGRIS 4.1	3.7	1.3.0
Galaxy S20+	SM-G986U	Qualcomm	Snapdragon 865	11	QSEE 5.8	3.7	1.3.0

Device Name	Model Number	Chipset Vendor	CPU	Android Version	TEE OS	Knox Version	DualDAR Version
Galaxy S10e	SM-G970F	Samsung	Exynos 9820	11	TEEGRIS 3.1	3.7	1.3.0
Galaxy S10+	SM-G975U	Qualcomm	Snapdragon 855	11	QSEE 5.2	3.7	1.3.0
Galaxy Tab Active3	SM-T575	Samsung	Exynos 9810	11	TEEGRIS 4.0	3.7	1.3.0

Table 3 - Evaluated Devices

In addition to the evaluated devices, the following device models are claimed as equivalent with a note about the differences between the evaluated device and the equivalent models.

Evaluated Device	CPU	Equivalent Devices	Differences
Galaxy S21 Ultra (Samsung)	Exynos 2100	Galaxy S21+ (Samsung) Galaxy S21 (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S21 Ultra (Qualcomm)	Snapdragon 888	Galaxy S21+ (Qualcomm) Galaxy S21 (Qualcomm)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S20+ (Samsung)	Exynos 990	Galaxy S20 Ultra (Samsung) Galaxy S20 (Samsung) Galaxy Note20 Ultra 5G/LTE (Samsung) Galaxy Note20 5G/LTE (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S20+ (Qualcomm)	Snapdragon 865	Galaxy S20 Ultra (Qualcomm) Galaxy S20 (Qualcomm) Galaxy S20 TE (Qualcomm) Galaxy Note20 Ultra 5G (Qualcomm) Galaxy Note20 5G (Qualcomm) Galaxy Tab S7+ Galaxy Tab S7	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy S10e (Samsung)	Exynos 9820	Galaxy S10+ (Samsung) Galaxy S10 5G (Samsung) Galaxy S10 (Samsung) Galaxy Note10+ 5G (Samsung) Galaxy Note10+ (Samsung) Galaxy Note10 5G (Samsung)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE) Note10 (Samsung) devices have Exynos 9825 CPU
Galaxy S10+ (Qualcomm)	Snapdragon 855	Galaxy S10 5G (Qualcomm) Galaxy S10 (Qualcomm) Galaxy S10e (Qualcomm) Galaxy Note10+ 5G (Qualcomm) Galaxy Note10+ (Qualcomm) Galaxy Note10 (Qualcomm)	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)
Galaxy Tab Active3	Exynos 9810	Galaxy Tab Active3	<ul style="list-style-type: none"> All devices have same software environments (Android, Kernel, TEE)

Table 4 - Equivalent Devices

10 Results of the Evaluation

The results of the assurance requirements are generally described in this section and are presented in detail in the proprietary ETR. The reader of this document can assume that all assurance activities and work units received a passing verdict.

A verdict for an assurance component is determined by the resulting verdicts assigned to the corresponding evaluator action elements. The evaluation was conducted based upon CC version 3.1 rev 5 and CEM version 3.1 rev 5, with *Exact Conformance, Selection-Based SFRs, Optional SFRs* CC and CEM addenda, version 0.5, May 2017. The evaluation determined the Samsung Knox File Encryption 1.3 TOE to be Part 2 extended, and to meet the SARs contained in the PP_APP_V1.3/MOD_FE_V1.0.

10.1 Evaluation of the Security Target (ASE)

The Evaluation Team applied each ASE CEM work unit. The ST evaluation ensured the ST contains a description of the environment in terms of policies and assumptions, a statement of security requirements claimed to be met by the Samsung Knox File Encryption 1.3 products that are consistent with the Common Criteria, and product security function descriptions that support the requirements.

The validators reviewed the work of the Evaluation Team, and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.2 Evaluation of the Development (ADV)

The Evaluation Team applied each ADV CEM work unit. The Evaluation Team assessed the design documentation and found it adequate to aid in understanding how the TSF provides the security functions. The design documentation consists of a functional specification contained in the Security Target and Guidance documents. Additionally, the Evaluation Team performed the assurance activities specified in the PP_APP_V1.3/MOD_FE_V1.0 related to the examination of the information contained in the TSS.

The validators reviewed the work of the Evaluation Team and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.3 Evaluation of the Guidance Documents (AGD)

The Evaluation Team applied each AGD CEM work unit. The Evaluation Team ensured the adequacy of the user guidance in describing how to use the operational TOE. Additionally, the Evaluation Team ensured the adequacy of the administrator guidance in describing how to securely administer the TOE. All of the guides were assessed during the design and testing phases of the evaluation to ensure they were complete.

The validators reviewed the work of the Evaluation Team and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in

accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.4 Evaluation of the Life Cycle Support Activities (ALC)

The Evaluation Team applied each ALC CEM work unit. The Evaluation Team found that the TOE was identified.

The validators reviewed the work of the Evaluation Team and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.5 Evaluation of the Test Documentation and the Test Activity (ATE)

The Evaluation Team applied each ATE CEM work unit. The Evaluation Team ran the set of tests specified by the assurance activities in the PP_APP_V1.3/MOD_FE_V1.0 and recorded the results in a Test Report, summarized in the AAR.

The validators reviewed the work of the Evaluation Team and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.6 Vulnerability Assessment Activity (VAN)

The Evaluation Team applied each AVA CEM work unit. The vulnerability analysis is in the Detailed Test Report (DTR) and updated in the DTR Supplement prepared by the evaluator. The evaluator searched the National Vulnerability Database (<https://web.nvd.nist.gov/vuln/search>), Vulnerability Notes Database (<http://www.kb.cert.org/vuls/>) on 5/12/2021 with the following search terms: "Samsung S21", "Samsung S20", "Samsung S10", "Samsung Galaxy Tab Active3", "Knox", "Android", "BoringSSL", "DualDAR", "containercore". No residual vulnerabilities exist in the TOE.

Additionally, the evaluator installed the Avast Mobile Security antivirus app on each TOE device, checked to ensure the definitions were current, and ran a scan on each device. In each case no issues were identified.

The validators reviewed the work of the Evaluation Team, and found that sufficient evidence and justification was provided by the Evaluation Team to confirm that the evaluation was conducted in accordance with the requirements of the CEM, and that the conclusion reached by the Evaluation Team was justified.

10.7 Summary of Evaluation Results

The Evaluation Team's assessment of the evaluation evidence demonstrates that the claims in the ST are met. Additionally, the Evaluation Team's testing also demonstrated the accuracy of the claims in the ST.

The Validation Team's assessment of the evidence provided by the Evaluation Team is that it demonstrates that the Evaluation Team followed the procedures defined in the CEM, and correctly verified that the product meets the claims in the ST.

11 Validator Comments/Recommendations

All validator comments have been addressed in the Clarification of Scope.

12 Annexes

Not applicable

13 Security Target

The Security Target is identified as: *Samsung Electronics Co., Ltd. Samsung Knox File Encryption 1.3 (PP_APP_V1.3/MOD_FE_V1.0) Security Target, Version 1.0, 04/19/2021.*

14 Glossary

The following definitions are used throughout this document:

- **Common Criteria Testing Laboratory (CCTL).** An IT security evaluation facility accredited by the National Voluntary Laboratory Accreditation Program (NVLAP) and approved by the CCEVS Validation Body to conduct Common Criteria-based evaluations.
- **Conformance.** The ability to demonstrate in an unambiguous way that a given implementation is correct with respect to the formal model.
- **Evaluation.** The assessment of an IT product against the Common Criteria using the Common Criteria Evaluation Methodology to determine whether or not the claims made are justified; or the assessment of a protection profile against the Common Criteria using the Common Evaluation Methodology to determine if the Profile is complete, consistent, technically sound and hence suitable for use as a statement of requirements for one or more TOEs that may be evaluated.
- **Evaluation Evidence.** Any tangible resource (information) required from the sponsor or developer by the evaluator to perform one or more evaluation activities.
- **Feature.** Part of a product that is either included with the product or can be ordered separately.
- **Target of Evaluation (TOE).** A group of IT products configured as an IT system, or an IT product, and associated documentation that is the subject of a security evaluation under the CC.
- **Validation.** The process carried out by the CCEVS Validation Body leading to the issue of a Common Criteria certificate.
- **Validation Body.** A governmental organization responsible for carrying out validation and for overseeing the day-to-day operation of the NIAP Common Criteria Evaluation and Validation Scheme.

15 Bibliography

The Validation Team used the following documents to produce this Validation Report:

- [1] Common Criteria for Information Technology Security Evaluation: Part 1: Introduction and General Model, Version 3.1, Revision 5, April 2017.
- [2] Common Criteria for Information Technology Security Evaluation Part 2: Security functional components, Version 3.1, Revision 5, April 2017.
- [3] Common Criteria for Information Technology Security Evaluation Part 3: Security assurance components, Version 3.1 Revision 5, April 2017.
- [4] Exact Conformance, Selection-Based SFRs, Optional SFRs CC and CEM Addenda, version 0.5, May 2017.
- [5] PP-Configuration for Application Software and File Encryption, Version 1.0, 25 July 2019.
- [6] Protection Profile for Application Software, Version 1.3, 01 March 2019 (ASPP13).
- [7] PP-Module for File Encryption, Version 1.0, 25 July 2019 (FEM10).
- [8] Samsung Electronics Co., Ltd. Samsung Knox File Encryption 1.3 (PP_APP_V1.3/MOD_FE_V1.0) Security Target, Version 1.0, 04/19/2021 (ST).
- [9] Assurance Activity Report (PP_APP_V1.3/MOD_FE_V1.0) for Samsung Knox File Encryption 1.3, Version 0.4, May 13, 2021 (AAR).
- [10] Detailed Test Report for Samsung Knox File Encryption 1.3, Version 0.2, March 22, 2021 (DTR).
- [11] Detailed Test Report for Samsung Knox File Encryption 1.3– T575, Version 1.1, June 1, 2021 (DTR Supplement)
- [12] Evaluation Technical Report for Samsung Knox File Encryption 1.3, Version 0.4, May 13, 2021 (ETR).
- [13] Samsung File Encryption 1.3 Administrator Guide, Version 1.3, 04/19/2021 (AGD)