



Australasian Information Security Evaluation Program

Certification Report

PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3, 27 September 2019

Version 1.1, 08 December 2020

Table of contents

Executive summary	4
Introduction	5
Overview	5
Purpose	5
TOE Identification	5
Identification of related and concomitant evaluations	5
CFG_NDcPP-FW description	7
Overview	7
Security Problem Definition	7
Security Objectives	9
Security Functional Requirements	10
Security Assurance Requirements	13
Evaluation	15
Overview	15
Evaluation procedures	15
Concomitant product evaluation procedures	16
Certification	17
Overview	17
Assurance	17
Certification result	17
Recommendations	17
Annex A – References and abbreviations	18

cyber.gov.au

References	18
Abbreviations	19

Executive summary

This report describes the findings of the evaluation of the *PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3, 27 September 2019* [10] also referred to as CFG_NDcPP-FW_V1.3. It presents a summary of the CFG_NDcPP-FW_V1.3 and the evaluation results.

The CFG_NDcPP-FW_V1.3 brings together the requirements from the Base-PP collaborative Protection Profile for Network Devices, Version 2.1, 24 September 2018 (NDcPP_V2.1) [6] with those from the PP-Module for Stateful Traffic Filter Firewalls, Version 1.3, 27-September-2019 (FW_MOD_V1.3) [8].

The evaluation of CFG_NDcPP-FW_V1.3 was conducted concomitant with the AISEP evaluation task listed below which claimed conformance to the Protection Profiles (PPs) in CFG_NDcPP-FW_V1.3 as well as the greater functionality contained within the *PP-Configuration for Network Devices, Stateful Traffic Filter Firewalls, and Virtual Private Network (VPN) Gateways, Version:* 1.0 (CFG_NDcPP-FW-VPNGW_1.0) [15]. The CFG_NDcPP-FW-VPNGW_V1.0 also brings in the requirements of *PP-Module for Virtual Private Network (VPN) Gateways Version* 1.0, 17-September-2019 (MOD_VPNGW_V1.0) [13]. The concomitant evaluation task was:

EFT-T013: Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380 and SRX1500.

The concomitant EFT-T013 task included all the security functional requirements (SFRs) from FW_MOD_V1.3 including the optional SFR "FFW_RUL_EXT.2 Stateful Filtering of Dynamic Protocols". The EFT-T013 evaluation carried out the relevant evaluation activities contained in the Supporting Document, Mandatory Technical Document, Evaluation Activities for Network Device cPP Version 2.1 (NDcPP-SD_V2.1) [7] and the Supporting Document, Mandatory Technical Document, Evaluation Activities for Stateful Traffic Filter Firewalls PP-Module Version 1.3 (FW_MOD-SD_V1.3) [9].

The PP-Configuration CFG_NDcPP-FW_V1.3 was exercised on a first-use basis by the evaluation task EFT-013 described above. On a more formal basis CFG_NDcPP-FW_V1.3 was evaluated against the requirements of the following ACE assurance components: ACE_INT.1, ACE_CCL.1, ACE_SPD.1, ACE_OBJ.1, ACE_ECD.1, ACE_REQ.1, ACE_MCO.1, ACE_CCO.1. These components are specified in the Common Criteria Part 3, Version 3.1, Rev 5 [2]. The evaluation determined that the CFG_NDcPP-FW_V1.3 is both Common Criteria Part 2 Extended and Part 3 Conformant. The evaluators have followed the *Common Methodology for IT Security Evaluation, Version 3.1, Rev 5* [3].

The report concludes that the CFG_NDcPP-FW_V1.3 has complied with the ACE class assurance requirements of the Common Criteria and that the evaluation was conducted in accordance with the requirements of the Australasian Information Security Evaluation Program (AISEP).

The Australasian Certification Authority (ACA) recommends that:

None.

This report includes information about the TOE, and information regarding the conduct of the evaluation.

Introduction

Overview

This chapter contains information about the purpose of this document and the identification of the Target of Evaluation (TOE).

Purpose

The purpose of this Certification Report is to:

- report the certification of results of the evaluation of the PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3 dated 27 September 2019 [10] also referred to as CFG_NDcPP-FW_V1.3 against the requirements of the Common Criteria
- provide a source of information about the evaluation of the CFG_NDcPP-FW_V1.3 for any interested parties.

TOE Identification

PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3 dated 27 September 2019

Identification of related and concomitant evaluations

The evaluation of the CFG_NDcPP-FW_V1.3 was also performed as a basis for the related follow-on AISEP evaluation task:

 EFT-T021: PP-Configuration for Network Devices, Stateful Traffic Filter Firewalls, and Virtual Private Network (VPN) Gateways, Version 1.0, 6 March 2020

The evaluation of the CFG NDcPP-FW V1.3 was performed concomitant with the following AISEP evaluation task:

EFT-T013: Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380 and SRX1500

The EFT-T013 evaluation gathered requirements from the Base-PP NDcPP_V2.1, the PP-Modules FW_MOD_V1.3 and MOD_VPNGW_V1.0, as well as requirements from the Intrusion Prevention System Extended Package [16].

Description Version

Evaluation scheme	Australasian Information Security Evaluation Program
TOE	 PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3, 27-September-2019
Previously certified Protection Profile	collaborative Protection Profile for Network Devices , Version 2.1, 24 September 2018 (AISEP certified)
Concomitant evaluation TOE details	 Security Target for Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380 and SRX1500, Version 1.4, 02 November 2020
	 Evaluation Technical Report – Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380 and SRX1500 v1.0, dated 06 November 2020 (Document reference EFT-T013-ETR 1.0)
Criteria	Common Criteria for Information Technology Security Evaluation Part 2 Extended and Part 3 Conformant, April 2017, Version 3.1 Rev 5
Methodology	Common Methodology for Information Technology Security, April 2017 Version 3.1 Rev 5 (CEM) [3]
Developer	NDFW international Technical Community (NDFW iTC)
Evaluation facility	Teron Labs Pty Ltd
	Unit 3, 10 Geils Court
	Deakin ACT 2600
	Australia

The CFG_NDcPP-FW_V1.3 gathers together the security problem definition, security objectives, security requirements and evaluation methodology of the Base-PP NDcPP_V2.1 [6] and the PP-Module FW_MOD_V1.3 [8]. The next section of this report gives a summary of the gathered elements of these Common Criteria Protection Profiles.

Because the concomitant TOE evaluation contains material from the Base-PP NDcPP_V2.1 [6] and the PP-Module FW_MOD_V1.3 [8] that appeared to be mutually consistent for evaluation purposes it provides extra practical evidence that the PP-Configuration can be used as the basis for a security product evaluation.

Additionally, where possible, the evaluation of CFG_NDcPP-FW_V1.3 leverages analyses from the recent evaluation of NDcPP_V2.1, which is assumed to have been performed correctly. This approach is in agreement with Section 9.2.1 "Re-using the evaluation results of certified PPs" of the CEM [3].

CFG NDcPP-FW description

Overview

The PP-Configuration CFG_NDcPP-FW_1.3 describes security requirements for network-based devices with a stateful firewall function. In the context of this PP-Configuration these devices are defined as both hardware and software devices that are connected to the network and have a stateful firewall function within the network. The TOE may be standalone or distributed, where a distributed TOE is one that requires multiple distinct components to operate as a logical whole in order to fulfil the requirements of the PP-Configuration.

The PP-Configuration CFG_NDcPP-FW_V1.3 calls-in a set of security requirements that are targeted at mitigating well defined and described threats.

Security Problem Definition

The Threats, Organisational Security Policies and Assumptions called in by the PP-Configuration CFG_NDcPP-FW_V1.3 are listed below. To make it stand out more, material in the table below introduced from the FW_MOD_V1.3 or modified by it is shown in GREEN. The Security Problem Definition aspects of the CFG_NDcPP-FW_V1.3 were examined as part of the sub-activity ACE_SPD.1 evaluation. Consistency aspects were examined as part of the sub-activity ACE_MCO.1 evaluation.

Threat, OSP or Assumption	Keywords	Source
Threats		
T.UNAUTHORIZED_ADMINISTRATOR_ACCESS	Threat Agent gains admin	NDcPP S4.1.1.1
T.WEAK_CRYPTOGRAPHY	Encryption, brute force	NDcPP S4.1.1.2
T.UNTRUSTED_COMMUNICATION_CHANNELS	Protocols, Key management	NDcPP S4.1.1.3
T.WEAK_AUTHENTICATION_ENDPOINTS	Shared/plaintext passwords	NDcPP S4.1.1.4
T.UPDATE_COMPROMISE	Non-validated updates	NDcPP S4.1.2.1
T.UNDETECTED_ACTIVITY	Audit	NDcPP S4.1.3.1
T.SECURITY_FUNCTIONALITY_COMPROMISE	Credentials	NDcPP S4.1.4.1
T.PASSWORD_CRACKING	Weak	NDcPP S4.1.4.2
T.SECURITY_FUNCTIONALITY_FAILURE	Self-test	NDcPP S4.1.5.1

T.NETWORK_DISCLOSURE	Map addresses/ports	FW_MOD S4.1.1.1
T.NETWORK_ACCESS	Attacks against services	FW_MOD S4.1.2.1
T.NETWORK_MISUSE	services	FW_MOD S4.1.3.1
T.MALICIOUS_TRAFFIC	Malformed, crash, replay	FW_MOD S4.1.4.1
Organizational Security Policy		
P.ACCESS_BANNER	Describing restrictions	NDcPP S4.3.1
Assumptions		
A.PHYSICAL_PROTECTION	Not subject to physical attack	NDcPP S4.2.1
A.LIMITED_FUNCTIONALITY	Not general purpose	NDcPP S4.2.2
A.NO_THRU_TRAFFIC_PROTECTION	This device endpoint only	NDcPP S4.2.3
A.TRUSTED_ADMINISTRATOR	Act in best interest	NDcPP S4.2.4
A.REGULAR_UPDATES	Firmware and software	NDcPP S4.2.5
A.ADMIN_CREDENTIALS_SECURE	Protected by the platform	NDcPP S4.2.6
A.COMPONENTS_RUNNING	Distributed TOEs availability	NDcPP S4.2.7
A.RESIDUAL_INFORMATION	Keys discarded equipment	NDcPP S4.2.8
A.NO_THRU_TRAFFIC_PROTECTION	Does not apply to FW ports	FW_MOD S4.2

Security Objectives

The NDcPP_V2.1 [6] is written in a way that does not state TOE Objectives, so the only NDcPP_V2.1 objectives stated are objectives on the environment that meet NDcPP_V2.1 assumptions. As far as TOE requirements are concerned the NDcPP_V2.1 maps directly from threats and OSPs to security requirements. The PP-Module FW_MOD_V1.3 [8] uses a different approach and does introduce TOE objectives.

The security objectives called in by the PP-Configuration CFG_NDcPP-FW_V1.3 are listed below. To make it stand out more, objectives from the PP-Module FW_MOD_V1.3 are shown in GREEN. The Security Objectives aspects of the CFG_NDcPP-FW_V1.3 were examined as part of the sub-activity ACE_OBJ.1 evaluation. Consistency aspects were examined as part of the sub-activity ACE_MCO.1 evaluation.

Objective	Keywords	Source
Objectives on the TOE		
O.*	None stated, refer to NDcPP threats and OSP	NDcPP
O.RESIDUAL_INFORMATION (*)	Clear packet buffers	FW_MOD S5.1.1
O.STATEFUL_TRAFFIC_FILTERING	Rules, interface, deny, flow	FW_MOD S5.1.2
Objectives on the Environment		
OE.PHYSICAL	Commensurate TOE value	NDcPP S5.1.1
OE.NO_GENERAL_PURPOSE	Only necessary services	NDcPP S5.1.2
OE.NO_THRU_TRAFFIC_PROTECTION	Traversing traffic out of scope	NDcPP S5.1.3
OE.TRUSTED_ADMIN	Follow guidance, monitor certs	NDcPP S5.1.4
OE.UPDATES	Firmware, software regular	NDcPP S5.1.5
OE.ADMIN_CREDENTIALS_SECURE	Private keys protected	NDcPP S5.1.6
OE.COMPONENTS_RUNNING	Distributed TOEs only	NDcPP S5.1.7
OE.RESIDUAL_INFORMATION (*)	Keys discarded equipment	NDcPP S5.1.8
OE.NO_THRU_TRAFFIC_PROTECTION	Does not apply for FW ports	FW_MOD S5.2

(*) - O.RESIDUAL_INFORMATION and OE.RESIDUAL_INFORMATION are not related

Security Functional Requirements

The SFR summary table below is broken into 3 groupings: Mandatory Requirements, Optional Requirements and Selection based requirements. The Common Criteria convention of using alphabetical ordering is respected inside each grouping. To make it stand out more, material in the table below from the PP-Module FW_MOD_V1.3 is shown in GREEN. The Security Functional Requirement aspects of the CFG_NDcPP-FW_V1.3 were examined as part of the subactivities ACE_ECD.1 and ACE_REQ.1 evaluation. Consistency aspects were examined as part of the sub-activities ACE_MCO.1 evaluation.

SFR (Family or Component)	Keywords	Source
Mandatory Requirements		
FAU_GEN.1.*	Audit data generation	NDcPP
FAU_GEN.1.*	Extra events and info	FW_MOD
FAU_GEN.2.1	User identity association	NDcPP
FAU_STG_EXT.1.*	Protected external store	NDcPP
FCS_CKM.(1,2,4).*	Generation, establishment, destruction	NDcPP
FCS_COP.1.1/DataEncryption	AES, CBC, CTR, GCM	NDcPP
FCS_COP.1.1/SigGen	DSA, ECDSA	NDcPP
FCS_COP.1.1/Hash	SHA	NDcPP
FCS_COP.1.1/KeyedHash	HMAC-SHA	NDcPP
FCS_RBG_EXT.1.*	Deterministic, seeded	NDcPP
FDP_RIP.2.1	Buffers cleared	FW_MOD
FFW_RUL_EXT.1.*	Stateful rules	FW_MOD
FIA_AFL.1.*	Authentication failure management	NDcPP
FIA_PMG_EXT.1.1	Password management	NDcPP

FIA_UIA_EXT.1.*	Identified, authenticated	NDcPP
FIA_UAU_EXT.2.1	Local password	NDcPP
FIA_UAU.7.1	Console obscured feedback	NDcPP
FMT_MOF.1.1/ManualUpdate	Security administrators initiate	NDcPP
FMT_MTD.1.1/CoreData	Security administrators manage	NDcPP
FMT_SMF.1.1	Management functions	NDcPP
FMT_SMF.1.1/FFW	Manage firewall rules	FW_MOD
FMT_SMR.2.*	Security administrator role	NDcPP
FPT_SKP_EXT.1.1	Protect keys	NDcPP
FPT_APW_EXT.1.*	Passwords protected	NDcPP
FPT_TST_EXT.1.1	A suite of self tests	NDcPP
FPT_TUD_EXT.1.*	Query, initiate, authenticate	NDcPP
FPT_STM_EXT.1.*	Time stamps	NDcPP
FTA_SSL_EXT.1.1	Session locking	NDcPP
FTA_SSL.(3,4).1	Session termination	NDcPP
FTA_TAB.1.1	Access banner	NDcPP
FTP_ITC.1.*	Encrypted trusted channel	NDcPP
FTP_TRP.1.*/Admin	Encrypted trusted path	NDcPP
Optional Requirements		

NDcPP

Protected audit store

FAU_STG.1.*

FAU_STG_EXT.2.1/LocSpace	Counting lost audit data	NDcPP
FAU_STG.3.1/LocSpace	Audit store overflow	NDcPP
FFW_RUL_EXT.2.1	Dynamic protocols	FW_MOD
FIA_X509_EXT.1.*/ITT	Validation chain, basicConstraints	NDcPP
FPT_ITT.1.1	Crypto distributed TOE	NDcPP
FTP_TRP.1.*/Join	Distributed TOE joining components	NDcPP
FCO_CPC_EXT.1.*	Distributed TOE control components	NDcPP
Selection Based Requirements		
FAU_GEN_EXT.1.1	Distributed TOE records	NDcPP
FAU_STG_EXT.(3,4).1	Distributed TOE protected stores	NDcPP
FCS_DTLSC_EXT.*.*	DTLS client crypto, protocols, authentication	NDcPP
FCS_DTLSS_EXT.*.*	DTLS server crypto, protocols, mutual authentication	NDcPP
FCS_HTTPS_EXT.1.*	RFC 2818, TLS	NDcPP
FCS_IPSEC_EXT.1.*	RFC 4301, crypto, modes,	NDcPP
FCS_NTP_EXT.1.*	Authenticated time update	NDcPP
FCS_SSHC_EXT.1.*	SSH Client	NDcPP
FCS_SSHS_EXT.1.*	SSH Server	NDcPP
FCS_TLSC_EXT.*.*	TLS Client	NDcPP
FCS_TLSS_EXT.*.*	TLS Server	NDcPP

cyber.gov.au 12 12 12

FIA_X509_EXT.1.*/Rev	X.509 Certificate Validation	NDcPP
FIA_X509_EXT.(2,3).*	Authentication, requests	NDcPP
FPT_TST_EXT.2.1	Self-tests certificates	NDcPP
FPT_TUD_EXT.2.*	Trusted update certificates	NDcPP
FMT_MOF.1.1/*	Management by security administrators	NDcPP
FMT_MTD.1.1/CryptoKeys	Security administrators manage keys	NDcPP

Security Assurance Requirements

The SAR summary table below simply lists the SARs from the Base-PP NDcPP_V2.1. The PP-Module FW_MOD_V1.3 inherits the NDcPP_V2.1 SARs. There is a case of an implied change in scope of the ASE_OBJ.1 component when FW_MOD_V1.3 is incorporated because it introduces Objectives on the TOE. Table 3 of the NDcPP_V2.1 only indicates Security Objectives on the operational environment are applicable for the ASE_OBJ.1 component. In the context of the CFG_NDcPP-FW_V1.3 the scope of the ASE_OBJ.1 component would logically include Security Objectives on the TOE.

SAR	Keywords
ASE_CCL.1	Conformance claims
ASE_ECD.1	Extended components definition
ASE_INT.1	ST introduction
ASE_OBJ.1	Security objectives
ASE_REQ.1	Stated security requirements
ASE_SPD.1	Security problem Definition
ASE_TSS.1	TOE summary specification
ADV_FSP.1	Basic Functional Specification
AGD_OPE.1	Operational User Guidance

AGD_PRE.1	Preparative procedures
ALC_CMC.1	TOE labelling
ALC_CMS.1	TOE CM coverage
ATE_IND.1	Independent testing - conformance
AVA_VAN.1	Vulnerability survey – basic attack potential

Evaluation

Overview

This chapter contains information about the procedures used in conducting the PP-Configuration CFG_NDcPP-FW_V1.3 evaluation. It also describes the concomitant network device evaluation that contributed to the PP-Configuration evaluation.

Evaluation procedures

The evaluation was performed on the *PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version* 1.3, developed by the Network Device Fundamentals and Firewalls (NDFW) international Technical Community (iTC).

The PP components of the evaluated configuration profiles are:

- Base-PP: collaborative Protection Profile for Network Devices, Version 2.1, 24-September-2018 (NDcPP V2.1)
- PP-Module: PP-Module for Stateful Traffic Filter Firewalls, Version 1.3, 27-September-2019 (MOD FW V1.3)

The evaluation included all the applicable modifications to the above PP-Module as specified by the NDFW iTC in their interpretations published up to the date of the evaluation.

The evaluation process for the PP-Configuration consisted of its evaluation against the requirements of the assurance class ACE defined in Common Criteria Part 3 [2].

Some of these ACE assurance components simply call-in similar APE class components. These call-ins are listed in the table below:

ACE Component	APE Call-in
ACE_INT.1	APE_INT.1
ACE_SPD.1	APE_SPD.1
ACE_OBJ.1	APE_OBJ.2

A concomitant product evaluation provided extra practical assurance on the consistency of the evaluation methodology associated with the PP-Configuration. Due to the presence of optional and selection based SFRs in the NDcPP_V2.1 that were not used in the product evaluation, only a subset of the possible evaluation methodology was exercised on this first-use basis.

The evaluation was carried out in accordance with the operational procedures of the Australasian Information Security Evaluation Program [23].

In addition, the conditions outlined in the Arrangement on the Recognition of Common Criteria Certificates in the field of Information Technology Security were also upheld [4].

For consideration of the aspects of the evaluation concerning exact conformance the DRAFT document – "CC and CEM addenda, Exact Conformance, Selection-Based SFRs, Optional SFRs May 2017, Version 0.5" [5] was referenced.

Concomitant product evaluation procedures

The PP-Configuration evaluation was performed concomitant with the AISEP evaluation task EFT-T013 involving a network security appliance with stateful firewall and VPN gateway functionality. The relevant criteria against which the EFT-T013 Target of Evaluation (TOE) has been evaluated are contained in the NDcPP_V2.1 [6], FW_MOD_V1.3[8], MOD_VPNGW_V1.0 [13] and the Common Criteria, Version 3.1, Rev 5, Parts 2 and 3 [1, 2].

Relevant testing methodology was drawn from the NDcPP-SD_V2.1 [7], FW_MOD-SD_V1.3 [9], MOD_VPNGW-SD_V1.0 [14] and the *Common Methodology for Information Technology Security, April 2017 Version 3.1 Revision 5* (CEM) [3].

Functional tests were developed to provide a suitable and achievable coverage of the security functions claimed by the TOE. Testing was developed against the chosen subset of requirements taken from the Protection Profiles, using tests as specified in the relevant supporting documents.

Vulnerability assessments made against the CFG_NDcPP-FW_V1.3 are primarily based on the methodology specified in NDcPP-SD_V2.1. The NDcPP-SD_V2.1 evaluation activities are provided in an effort to specify an adequate level of vulnerability testing. More details can be found in the NDcPP_V2.1 and NDcPP-SD_V2.1 documents. The FW_MOD-SD_V1.3 document added some extra considerations for the AVA_VAN.1 evaluation activities.

Certification

Overview

This chapter contains information about the result of the certification, an overview of the assurance provided and recommendations made by the certifiers.

Assurance

This certification is focused on the evaluation of the *PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3* [10]. The successful certification provides assurance that the PP-Configuration is sound and consistent. It can be used to specify Security Targets (STs) for network devices with a stateful firewall function.

It is expected that any product using the CFG_NDcPP-FW_V1.3 as a model will be resistant to attackers with basic attack potential, have well defined auditing and management functions, can be remotely managed in a secure way, has protected firmware update functionality, does not leak information between machines on the network and importantly, can provide stateful firewall functions that are essential to protect resources on interconnected computer networks.

Additionally, where possible, the evaluation of CFG_NDcPP-FW_V1.3 leveraged analyses from the evaluation of NDcPP V2.1 [6] which are assumed to have been carried out correctly. This approach is in agreement with Section 9.2.1 ("Reusing the evaluation results of certified PPs") of the CEM [3].

Certification result

After due consideration of the conduct of the evaluation as reported to the certifiers, and of the Evaluation Technical Report [20], the Australasian Certification Authority **certifies** the evaluation of the *PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3* performed by the Australasian Information Security Evaluation Facility, Teron Labs.

The AISEF Teron Labs has determined that the PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3 upholds the ACE assurance requirements of the Common Criteria Part 3 [2].

Recommendations

The Australasian Certification Authority recommends that:

none.

Annex A – References and abbreviations

References

- 1. Common Criteria for Information Technology Security Evaluation Part 2: Security functional components April 2017, Version 3.1 Revision 5
- 2. Common Criteria for Information Technology Security Evaluation Part 3: Security assurance components April 2017, Version 3.1 Revision 5
- 3. Common Methodology for Information Technology Security Evaluation, Evaluation Methodology, April 2017, Version 3.1 Revision 5
- 4. Arrangement on the Recognition of Common Criteria Certificates in the field of Information Technology Security, 2 July 2014
- CC and CEM addenda, Exact Conformance, Selection-Based SFRs, Optional SFRs May 2017, Version 0.5 CCDB-2017-05-xxx
- 6. collaborative Protection Profile for Network Devices, Version 2.1, 24 September 2018, (NDcPP V2.1)
- 7. Supporting Document, Mandatory Technical Document, Evaluation Activities for Network Device cPP, September 2018, version 2.1 (NDcPP-SD_V2.1)
- 8. PP-Module for Stateful Traffic Filter Firewalls, Version 1.3, 27 September 2019 (FW MOD V1.3)
- 9. Supporting Document, Mandatory Technical Document, Evaluation Activities for Stateful Traffic Filter Firewalls PP-Module, September 2019, Version 1.3 (FW MOD-SD V1.3)
- 10. PP-Configuration for Network Device and Stateful Traffic Filter Firewalls, Version 1.3, 27-September-2019 (CFG_NDcPP-FW_V1.3)
- 11. NDFW iTC allowed-with list for Network Device cPP, V2.1r8, 01 July 2020 (available as PDF to members at CC Users Forum/Documents/Projects/Network ITC/Allowed-With Lists)
- 12. NDFW iTC allowed-with list for Stateful Traffic Filter Firewall PP-Module V1.4r5, 01 July 2020 (available as PDF to members at CC Users Forum/Documents/Projects/Network ITC/Allowed-With Lists)
- 13. PP-Module for Virtual Private Network (VPN) Gateways, version 1.0, dated 2019-09-17 (MOD_VPNGW_V1.0)
- 14. Supporting Document, Mandatory Technical Document, PP-Module for Virtual Private Network (VPN) Gateways, version 1.0, dated 2019-09-17, (MOD_VPNGW-SD_V1.0)
- 15. PP-Configuration for Network Devices, Stateful Traffic Filter Firewalls, and Virtual Private Network (VPN) Gateways, Version: 1.0, 2020-03-06 (CFG_NDcPP-FW-VPNGW_V1.0)
- 16. collaborative Protection Profile for Network Devices/collaborative Protection Profile for Stateful Traffic Filter Firewalls Extended Package (EP) for Intrusion Prevention Systems (IPS), version 2.11, dated 15 June 2017 (IPS EP)
- 17. Certification Report, Collaborative Protection Profile for Network Devices (NDcPP), Version 2.1, 19 September 2018, Version 1.0, 02 October 2019
- 18. Security Target for Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380, SRX1500, V1.4, 02 November 2020
- 19. Evaluation Technical Report Junos OS 20.2R1 for SRX345, SRX345-DUAL-AC, SRX380 and SRX1500 v1.0, dated 06 November 2020 (Document reference EFT-T013-ETR 1.0)

- 20. Evaluation Technical Report PP-Configuration for Network Device and Stateful Traffic Filter Firewalls v1.0, dated 03 November 2020 (Document reference EFT-T020-ETR 1.0)
- 21. Australian Government Information Security Manual: https://www.cyber.gov.au/ism
- 22. New Zealand Information Security Manual: https://www.nzism.gcsb.govt.nz/ism-document/
- 23. AISEP Policy Manual (APM): https://www.cyber.gov.au/publications/aisep-policy-manual

Abbreviations

AISEF Australasian Information Security Evaluation Facility
AISEP Australasian Information Security Evaluation Program

ASD Australian Signals Directorate

CCRA Common Criteria Recognition Arrangement

DTLS S/C Datagram Transport Layer Security Server/Client

HTTPS HyperText Transfer Protocol Secure

IPsec Internet Protocol Security

NDcPP CCRA-approved collaborative Protection Profile for Network Devices

NDFW iTC Network Device Fundamentals and Firewalls international Technical Community

NTP Network Time Protocol

PP Protection Profile

SSH S/C Secure SHell Server/Client

TLS S/C Transport Layer Security Server/Client

TOE Target of Evaluation

VPN Virtual Private Network