

National Information Assurance Partnership
Common Criteria Evaluation and Validation Scheme



Validation Report

**Security Requirements for Mobile Device
Fundamentals, Version 1.1, February 12th, 2014**

Report Number: CCEVS-VR-PP-0006
Dated: 30 April 2014
Version: 1.0

National Institute of Standards and Technology
Information Technology Laboratory
100 Bureau Drive
Gaithersburg, MD 20899

National Security Agency
Information Assurance Directorate
9800 Savage Road STE 6940
Fort George G. Meade, MD 20755-6940

ACKNOWLEDGEMENTS

Common Criteria Testing Laboratory

*Base and Additional Requirements
Gossamer Security Solutions, Inc.
Catonsville, Maryland*

Table of Contents

1	Executive Summary.....	1
2	Identification.....	1
3	MDFPP Description	2
4	Security Problem Description and Objectives.....	3
4.1	Assumptions.....	3
4.2	Threats.....	5
4.3	Organizational Security Policies.....	5
4.4	Security Objectives for the TOE.....	5
5	Requirements.....	6
6	Assurance Requirements	9
7	Results of the evaluation.....	9
8	Glossary.....	9
9	Bibliography	10

1 Executive Summary

This report documents the assessment of the National Information Assurance Partnership (NIAP) validation team of the evaluation of the Security Requirements for Mobile Device Fundamentals (version 1.1) Protection Profile, also referred to as the Mobile Device Protection Profile (MDFPP11). It presents a summary of the MDFPP11 and the evaluation results.

In order to promote thoroughness and efficiency, the evaluation of the MDFPP11 was performed concurrent with the first product evaluation against the PP's requirements. In this case the Target of Evaluation (TOE) for this first product was the Samsung Electronics Co., Ltd. Samsung Galaxy, Galaxy S5 and Note 10.1 2014 Edition. The evaluation was performed by the Gossamer Security Solutions Inc. Common Criteria Testing Laboratory (CCTL) in Catonsville, Maryland, United States of America, and was completed in April 2014. This evaluation addressed the base requirements of the MDFPP11, as well as a few of the additional requirements contained in Appendices C and D.

Another product—the Samsung Galaxy S5 with KNOX 2—was also evaluated by the Gossamer Security Solutions Inc. CCTL and completed in November 2014. This evaluation addressed additional requirements in Appendix D of the MDFPP11 that had not been evaluated previously.

The information in this report is largely derived from the Evaluation Technical Reports (ETRs), written by the Gossamer Security Solutions CCTL.

The evaluation determined that the MDFPP v.1.1 is both Common Criteria Part 2 Extended and Part 3 Conformant. The PP identified in this Validation Report has been evaluated at a NIAP approved Common Criteria Testing Laboratory using the Common Methodology for IT Security Evaluation (Version 3.1, Rev 4) for conformance to the Common Criteria for IT Security Evaluation (Version 3.1, Rev 4). Because the ST contains only material drawn directly from the MDFPP11, performance of the majority of the ASE work units serves to satisfy the APE work units as well. Where this is not the case, the lab performed the outlying APE work units as part of this evaluation.

The evaluation has been conducted in accordance with the provisions of the NIAP Common Criteria Evaluation and Validation Scheme and the conclusions of the testing laboratory in the evaluation technical report are consistent with the evidence provided.

The validation team found that the evaluation showed that the MDFPP11 meets the requirements of the APE components. The conclusions of the testing laboratory in the evaluation technical report are consistent with the evidence produced.

2 Identification

The CCEVS is a joint National Security Agency (NSA) and National Institute of Standards effort to establish commercial facilities to perform trusted product evaluations. Under this program, security evaluations are conducted by commercial testing laboratories called Common Criteria Testing Laboratories (CCTLs). CCTLs evaluate products against Protection Profile containing Assurance Activities, which are interpretation of CEM work units specific to the technology described by the PP.

In order to promote thoroughness and efficiency, the evaluation of the MDFPP11 was performed concurrent with the first product evaluation against the PP. In this case the TOE for this first product was the Samsung Galaxy S5 and Note 10.1 2014 Edition, provided by Samsung Electronics Co., Ltd. The evaluation was performed by the Gossamer Security Solutions Inc. Common Criteria Testing Laboratory (CCTL) in Catonsville, Maryland, United States of America, and was completed in April 2014.

The MDFPP11 contains a set of “base” requirements that all conformant STs must include, and in addition, contains both “Selection-based” and “Objective” requirements. Selection-based requirements are those that must be included based upon the selections made in the base requirements and the capabilities of the TOE. Objective requirements are those that specify security functionality that is desirable. The vendor may choose to include such requirements in the ST and still claim conformance to this PP.

Because these optional requirements may not be included in a particular ST, the initial use of the PP will address (in terms of the PP evaluation) the base requirements as well as any additional requirements that are incorporated into that initial ST. Subsequently, TOEs that are evaluated against the MDFPP11 that incorporate additional requirements that have not been included in any ST prior to that will be used to evaluate those requirements (APE_REQ), and the appropriate updates to this validation report will be made.

The following identifies the PP subject to the evaluation/validation, as well as the supporting information from the base evaluation performed against this PP, as well as subsequent evaluations that address additional optional requirements in the MDFPP11.

Protection Profile	<i>Protection Profile for Mobile Device Fundamentals, Version 1.1, 12 February 2014</i>
ST (Base)	Samsung Electronics Co., Ltd. Samsung Galaxy S5 and Note 10.1 2014 Edition Security Target, Version 0.3, April 30, 2014
Evaluation Technical Report (Base)	Evaluation Technical Report for Samsung Galaxy S5 & Note 10.1 2014 Edition, Version 2.0, April 30, 2014
ST (Additional)	Samsung Electronics Co., Ltd. Samsung Galaxy S5 with KNOX 2 Security Target, Version 0.4, October 14, 2014
Evaluation Technical Report (Additional)	Evaluation Technical Report for Samsung Galaxy S5 with KNOX 2.0 (MDFPP11) , Version 3.3, October 31, 2014
CC Version	Common Criteria for Information Technology Security Evaluation, Version 3.1, Revision 4
Conformance Result	CC Part 2 extended, CC Part 3 extended
CCTL	Gossamer Security Solutions Inc., Catonsville, MD. USA
CCEVS Validators	Dr. Jerome Myers, The Aerospace Corporation

3 MDFPP Description

The MDFPP11 specifies information security requirements for Mobile Devices for use in an enterprise and describes these essential security services provided by the Mobile Device that

serves as a foundation for a secure mobile architecture. A Mobile Device in the context of this Protection Profile is a device which is composed of a hardware platform and its system software. The device typically provides wireless connectivity and may include software for functions like secure messaging, email, web, VPN connection, and VoIP (Voice over IP), for access to the protected enterprise network, enterprise data and applications, and for communicating to other mobile devices. Examples of a mobile device that should claim conformance to this Protection Profile include smartphones, tablet computers, and other mobile devices with similar capabilities.

Compliant TOEs will provide essential services, such as cryptographic services, data-at-rest protection, and key storage services to support the secure operation of applications on the device and include functionality that addresses threats to the TOE and implements policies that are imposed by law or regulation. Additional security features such as security policy enforcement, application mandatory access control, anti-exploitation features, user authentication, and software integrity protection are implemented in order to address threats. It is expected that a typical deployment would also include either third-party or bundled components that provide:

- Data in transit protection (e.g. VPN Client, VoIP Client, Web Browser)
- Security policy management (e.g. MDM System)

The mobile device may be operated in a number of use cases. In addition to providing essential security services, the mobile device includes the necessary security functionality to support configurations for these various use cases. Each use case may require additional configuration and applications to achieve the desired security.

4 Security Problem Description and Objectives

4.1 Assumptions

The specific conditions listed in the following subsections are assumed to exist in the TOE's Operational Environment. These assumptions include both practical realities in the development of the TOE security requirements and the essential environmental conditions on the use of the TOE.

Table 1: TOE Assumptions

Assumption Name	Assumption Definition
A.CONFIG	It is assumed that the TOE's security functions are configured correctly in a manner to ensure that the TOE security policies will be enforced on all applicable network traffic flowing among the attached networks.
A.NOTIFY	It is assumed that the mobile user will immediately notify the administrator if the Mobile Device is lost or stolen.

Assumption Name	Assumption Definition
A.PRECAUTION	It is assumed that the mobile user exercises precautions to reduce the risk of loss or theft of the Mobile Device.

4.2 Threats

Table 2: Threats

Threat Name	Threat Definition
T.EAVESDROP	If positioned on a wireless communications channel or elsewhere on the network, attackers may monitor and gain access to data exchanged between the Mobile Device and other endpoints.
T.NETWORK	An attacker may initiate communications with the Mobile Device or alter communications between the Mobile Device and other endpoints.
T.PHYSICAL	Loss of confidentiality of user data and credentials may be a result of an attacker gaining physical access to a Mobile Device.
T.FLAWAPP	Malicious or exploitable code could be used knowingly or unknowingly by a developer, possibly resulting in the capability of attacks against the platform's system software.
T.PERSISTENT	An attacker gains and continues to have access the device, resulting it loss of integrity and possible control by both an adversary and legitimate owner.

4.3 Organizational Security Policies

No organizational policies have been identified that are specific to Mobile Devices.

4.4 Security Objectives for the TOE

Table 4: Security Objectives for the TOE

TOE Security Obj.	TOE Security Objective Definition
O.COMMS	The TOE will provide the capability to communicate using one (or more) standard protocols as a means to maintain the confidentiality of data that are transmitted outside of the TOE.
O.STORAGE	The TOE will provide the capability to encrypt all user and enterprise data and authentication keys to ensure the confidentiality of data that it stores.
O.CONFIG	The TOE will provide the capability to configure and apply security policies. This ensures the Mobile Device can protect user and enterprise data that it may store or process.
O.AUTH	The TOE will provide the capability to authenticate the user and endpoints of a trusted path to ensure they are communicating with an authorized entity with appropriate privileges.
O.INTEGRITY	The TOE will provide the capability to perform self-tests to ensure the integrity of critical functionality, software/firmware and data has been maintained. The

TOE Security Obj.	TOE Security Objective Definition
	TOE will also provide a means to verify the integrity of downloaded updates.

The following table contains objectives for the Operational Environment.

Table 5: Security Objectives for the Operational Environment

TOE Security Obj.	TOE Security Objective Definition
OE.CONFIG	TOE administrators will configure the Mobile Device security functions correctly to create the intended security policy.
OE.NOTIFY	The Mobile User will immediately notify the administrator if the Mobile Device is lost or stolen.
OE.PRECAUTION	The Mobile User exercises precautions to reduce the risk of loss or theft of the Mobile Device.

5 Requirements

As indicated above, requirements in the MDPP11 are comprised of the “base” requirements. The following are table contains the “base” requirements that were validated as part of the Samsung evaluation activity referenced above.

Requirement Class	Requirement Component
FCS: Cryptographic support	FCS_CKM.1(1): Cryptographic Key Generation (Key Establishment)
	FCS_CKM.1(2): Cryptographic Key Generation (Asymmetric Keys for Authentication)
	FCS_CKM.1(3): Cryptographic Key Generation (WLAN)
	FCS_CKM.2: Cryptographic Key Distribution (WLAN)
	FCS_CKM_EXT.1: Extended: Cryptographic Key Support (REK)
	FCS_CKM_EXT.2: Extended: Cryptographic Data Encryption Keys
	FCS_CKM_EXT.3: Extended Cryptographic Key Encryption Keys
	FCS_CKM_EXT.4: Extended: Key Destruction
	FCS_CKM_EXT.5: Extended: TSF Wipe
	FCS_CKM_EXT.6: Extended: Salt Generation
	FCS_COP.1(1): Cryptographic Operation (Confidentiality Algorithms)
	FCS_COP.1(2): Cryptographic Operation (Hashing Algorithms)
	FCS_COP.1(3): Cryptographic Operation (Signature Algorithms)
	FCS_COP.1(4): Cryptographic Operation (Keyed Hash Algorithms)
	FCS_COP.1(5): Cryptographic Operation (Password-Based Key Derivation Functions)
	FCS_IV_EXT.1: Extended: Initialization Vector Generation
	FCS_RBG_EXT.1: Extended: Cryptographic Operation (Random Bit Generation)
	FCS_SRV_EXT.1: Extended: Cryptographic Algorithm Services
	FCS_STG_EXT.1: Extended: Cryptographic Key Storage

Requirement Class	Requirement Component
	FCS_STG_EXT.2: Extended: Encrypted Cryptographic Key Storage
	FCS_STG_EXT.3: Extended: Integrity of Encrypted Key Storage
	FCS_TLS_EXT.1: Extended: EAP TLS Protocol
FDP: User data protection	FDP_ACF_EXT.1: Extended: Security Access Control
	FDP_DAR_EXT.1: Extended: Data-At-Rest Protection
	FDP_STG_EXT.1(1): Extended: Certificate Data Storage
FIA: Identification and authentication	FIA_AFL_EXT.1: Extended: Authentication Failure Handling
	FIA_PAE_EXT.1: Extended: Port Access Entity Authentication
	FIA_PMG_EXT.1: Extended: Password Management
	FIA_TRT_EXT.1: Extended: Authentication Throttling
	FIA_UAU.7: Protected Authentication Feedback
	FIA_UAU_EXT.1: Extended: Authentication for Cryptographic Operation
	FIA_UAU_EXT.2: Timing of Authentication
	FIA_UAU_EXT.3: Extended: Re-Authentication
	FIA_X509_EXT.1: Extended: Validation of Certificates
	FIA_X509_EXT.2: Extended: X509 Certificate Authentication
	FIA_X509_EXT.3: Extended: Request Validation of Certificates
FMT: Security management	FMT_MOF.1(1): Management of Security Functions Behavior (User)
	FMT_MOF.1(2): Management of Security Functions Behavior (Administrator)
	FMT_SMF.1: Specification of Management Functions
	FMT_SMF_EXT.1: Extended: Specification of Remediation Actions
FPT: Protection of the TSF	FPT_AEX_EXT.1: Extended: Anti-Exploitation Services (ASLR)
	FPT_AEX_EXT.2: Extended: Anti-Exploitation Services (Memory Page Permissions)
	FPT_AEX_EXT.3: Extended: Anti-Exploitation Services (Stack Overflow Protection)
	FPT_AEX_EXT.4: Extended: Domain Isolation
	FPT_KST_EXT.1: Extended: Key Storage
	FPT_KST_EXT.2: Extended: No Key Transmission
	FPT_KST_EXT.3: Extended: No Plaintext Key Export
	FPT_NOT_EXT.1: Extended: Event Notification
	FPT_STM.1:: Reliable Time Stamps
	FPT_TST_EXT.1: Extended: TSF Cryptographic Functionality Testing
	FPT_TST_EXT.2: Extended: TSF Integrity Testing
	FPT_TUD_EXT.1: Extended: Trusted Update: TSF Version Query
	FPT_TUD_EXT.2: Extended: Trusted Update Verification
FTA: TOE access	FTA_SSL_EXT.1: Extended: TSF- and User Initiated Locked State
	FTA_WSE_EXT.1: Extended: Wireless Network Access
FTP: Trusted path/channels	FTP_ITC_EXT.1: Extended: Trusted Channel Communication

The following table contains the “**Selection-Based**” requirements contained in Appendix C, and an indication of what evaluation those requirements were verified in (from the list in the *Identification* section above). Requirements that do not have an associated evaluation indicator have not yet been evaluated. These requirements are included in an ST if associated selections are made by the ST authors in requirements that are levied on the TOE by the ST.

Requirement Class	Requirement Component	Verified By
FCS: Cryptographic support	FCS_TLS_EXT.2: TLS Protocol	Samsung Galaxy S5 & Note 10.1, 30 April 2014
	FCS_DTLS_EXT.1: DTLS Protocol	
	FCS_HTTPS_EXT.1: HTTPS Protocol	Samsung Galaxy S5 & Note 10.1, 30 April 2014

The following table contains the “**Objective**” requirements contained in Appendix D, and an indication of what evaluation those requirements were verified in (from the list in the *Identification* section above). Requirements that do not have an associated evaluation indicator have not yet been evaluated. These requirements are not currently mandated by the PP but specify security functionality that is desirable, and are expected to transition from objective requirements to baseline requirements in future versions of the PP.

Requirement Class	Requirement Component	Verified By
FAU: Security Audit	FAU_GEN.1: Audit Data Generation	
	FAU_SEL.1: Selective Audit	
	FAU_STG_EXT.1: Audit Storage Protection	
FCS: Cryptographic Services	FCS_RBG_EXT.1 [1.4, 1.5]: Extended: Cryptographic Operation (Random Bit Generation)	
FDP: User Data Protection	FDP_ACF_EXT.1 [1.2]: Extended: Security Attribute Based Access Control	
	FDP_ACF_EXT.1 [1.3]: Extended: Security Attribute Based Access Control	Samsung Galaxy S5 with KNOX 2, 7 Nov 2014
	FDP_DAR_EXT.2: Extended: Sensitive Data Encryption	
	FDP_IFC_EXT.1: Extended: Subset Information Flow Control (VPN)	Samsung Galaxy S5 & Note 10.1, 30 April 2014
FIA: Identification and Authentication	FIA_BLT_EXT.1: Extended: Bluetooth Authentication	
	FIA_X509_EXT.2 [2.4, 2.5]: Extended: X509 Certificate Authentication	
FMT: Security Management	FMT_POL_EXT.1: Extended: Management of Policies	
FPT: Protection of the TSF	FPT_AEX_EXT.1 [1.3, 1.4]: Extended: Anti-Exploitation Services (ASLR)	
	FPT_AEX_EXT.2 [2.2]: Extended: Anti-Exploitation Services (Memory Page Permissions)	
	FPT_BBD_EXT.1: Extended: Application Processor Mediation	
	FPT_TST_EXT.2 [2.2]: Extended: TSF Integrity Testing	
	FPT_TUD_EXT.1 [1.4]: Extended: Trusted Update: TSF Version Query	
	FPT_TUD_EXT.2 [2.5, 2.6]: Extended:	

Requirement Class	Requirement Component	Verified By
	Trusted Update Verification	
FTA: TOE Access	FTA_TAB.1: Default TOE Access Banners	Samsung Galaxy S5 & Note 10.1, 30 April 2014

6 Assurance Requirements

The following are the assurance requirements contained in the MDFPP11:

Requirement Class	Requirement Component
ASE: Security Target	ASE_INT.1 ST Introduction
	ASE_CCL.1 Conformance Claims
	ASE_OBJ.1 Security Objectives for the Operation Environment
	ASE_ECD.1 Extended Components Definition
	ASE_REQ.1 Stated Security Requirements
	ASE_TSS.1 TOE Summary Specification
ADV: Development	ADV_FSP.1 Basic functional specification
AGD: Guidance documents	AGD_OPE.1: Operational user guidance
	AGD_PRE.1: Preparative procedures
ALC: Life-cycle support	ALC_CMC.1 Labeling of the TOE
	ALC_CMS.1 TOE CM coverage
	ALC_TSU_EXT Timely Security Updates
ATE: Tests	ATE_IND.1 Independent testing - sample
AVA: Vulnerability Assessment	AVA_VAN.1 Vulnerability survey

7 Results of the evaluation

The CCTL produced an ETR that contained the following results. Note that for APE elements and work units that are identical to APE elements and work units, the lab performed the APE work units concurrent to the ASE work units.

APE Requirement	Evaluation Verdict
APE_CCL.1	Pass
APE_ECD.1	Pass
APE_INT.1	Pass
APE_OBJ.2	Pass
APE_REQ.1	Pass

8 Glossary

The following definitions are used throughout this document:

- **Common Criteria Testing Laboratory (CCTL).** An IT security evaluation facility accredited by the National Voluntary Laboratory Accreditation Program (NVLAP) and approved by the CCEVS Validation Body to conduct Common Criteria-based evaluations.

- **Conformance.** The ability to demonstrate in an unambiguous way that a given implementation is correct with respect to the formal model.
- **Evaluation.** The assessment of an IT product against the Common Criteria using the Common Criteria Evaluation Methodology as interpreted by the supplemental guidance in the MDFPP Assurance Activities to determine whether or not the claims made are justified.
- **Evaluation Evidence.** Any tangible resource (information) required from the sponsor or developer by the evaluator to perform one or more evaluation activities.
- **Feature.** Part of a product that is either included with the product or can be ordered separately.
- **Target of Evaluation (TOE).** A group of IT products configured as an IT system, or an IT product, and associated documentation that is the subject of a security evaluation under the CC.
- **Validation.** The process carried out by the CCEVS Validation Body leading to the issue of a Common Criteria certificate.
- **Validation Body.** A governmental organization responsible for carrying out validation and for overseeing the day-to-day operation of the NIAP Common Criteria Evaluation and Validation Scheme.

9 Bibliography

The Validation Team used the following documents to produce this Validation Report:

- [1] Common Criteria Project Sponsoring Organisations. *Common Criteria for Information Technology Security Evaluation: Part 1: Introduction and General Model*, Version 3.1, Revision 2, dated: September 2007.
- [2] Common Criteria Project Sponsoring Organisations. *Common Criteria for Information Technology Security Evaluation: Part 2: Security Functional Requirements*, Version 3.1, Revision 2, dated: September 2007.
- [3] Common Criteria Project Sponsoring Organisations. *Common Criteria for Information Technology Security Evaluation: Part 3: Security Assurance Requirements*, Version 3.1, Revision 2, dated: September 2007
- [4] Common Criteria Project Sponsoring Organisations. *Common Evaluation Methodology for Information Technology Security – Part 2: Evaluation Methodology*, Version 3.1, Revision 2, dated: September 2007.
- [5] Common Criteria, Evaluation and Validation Scheme for Information Technology Security, *Guidance to Validators of IT Security Evaluations*, Scheme Publication #3, Version 1.0, January 2002.
- [6] Gossamer Security Solutions. *Evaluation Technical Report for Samsung Galaxy S5 and Note 10.1 2014 Edition*, Version 2.0. April 30, 2014.
- [7] Gossamer Security Solutions. *Evaluation Technical Report for Samsung with KNOX 2.0 (MDFPP11)*, Version 3.3. October 31, 2014.

- [8] Gossamer Security Solutions. *Samsung Electronics Co. Ltd. Samsung Galaxy S5 & Note 10.1 2014 Edition Security Target*, Version 0.3, April 30, 2014.
- [9] Gossamer Security Solutions. *Samsung Electronics Co. Ltd. Samsung Galaxy S5 with KNOX 2 Security Target*, Version 0.4, October 14, 2014
- [10] Protection Profile for Mobile Device Fundamentals, Version 1.1, 12 February 2014